


# Ronmee Connector



## **Ronmee Industrial Corporation**


No. 12, Lane 155, Zongxing N. St., Sanchong Dist.,  
New Taipei City, 24158 Taiwan, R. O. C.

Tel : +886 2 8511-1286

Fax: +886 2 8511-1287

E-mail: [ronmee2004@yahoo.com.tw](mailto:ronmee2004@yahoo.com.tw)

<http://www.ronmeeind.com>



## ArduEZ Female Header

### 2.54mm Long-Tail Female Header 8+6P



Insulator 8.5mm with footprint marking,  
Tail length 14.3mm / 19.0mm

P/N:


**FH-8+6-M** (8+6P, tail 14.3mm)

**FH-8+6-L** (8+6P, tail 19.0mm)


### 8+6 Outside



L=14.3  
L=19.0



PCB LAYOUT



## ArduEZ Female Header

### 2.54mm Long-Tail Female Header 10+8P



Insulator 8.5mm with footprint marking,  
Tail length 14.3mm / 19.0mm

P/N:


**FH-10+8-M** (10+8P, tail 14.3mm)

**FH-10+8-L** (10+8P, tail 19.0mm)

### 10+8 Outside 外側



L=14.3  
L=19.0



PCB LAYOUT



## ArduEZ Female Header


### 2.54mm Long-Tail Female Header 8+8+8P

Insulator 8.5mm with footprint marking,  
Tail length 14.3mm / 19.0mm

P/N:

**FH-8+8+8-M** (8+8+8P, tail 14.3mm)

**FH-8+8+8-L** (8+8+8P, tail 19.0mm)



## ArduEZ Female Header


### 2.54mm Long-Tail Female Header 10+8+8P


Insulator 8.5mm with footprint marking,  
Tail length 14.3mm / 19.0mm

P/N:

**FH-10+8+8-M** (10+8+8P, tail 14.3mm)

**FH-10+8+8-L** (10+8+8P, tail 19.0mm)






## Raspberry Pi Female Header

### 2.54mm Long-Tail Female Header 2x20P

Insulator 13.2mm, Tail length 12.4mm

P/N:

**FHP-2x20S-12.4**





## 2.54mm Pin Header Strip

1x40P, Right Angle

P/N:

**PH254-40P/1GF-13.8RA**







## Easy Breakable Female Header

2.54mm Straight Dual raw, U type contacts  
Insulator 8.5mm, Tail length 3.0mm

P/N:

**FH2.54-84U/2GF-8.5ST**



## Easy Breakable Female Header

2.54mm Straight Single raw,  
U type contacts  
Insulator 8.5mm, Tail length 3.0mm

P/N:

**FH2.54-42U/1GF-8.5ST**

